

WO 2004/042401

PCT/JP2003/014201

1 / 6

SEQUENCE LISTING

<110> TAKAHASHI Hiroshi and HANADA Shuichi

<120> Method for Examining Cancer Cells and Reagent Therefor

<130> 03PF273-PCT

<160> 17

<210> 1

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 1

aagccggcag tcagtctga

20

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 2

aagtaccggc aactctgctg

20

<210> 3

<211> 20

2 / 6

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 3

gaaagggaaa ggggtggaac

20

<210> 4

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 4

ccagcgacag cccattctat

20

<210> 5

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide probe used for detecting a region of HTLV-1 gene

<400> 5

ctccaggaga gaaatttagt acac

24

<210> 6

3 / 6

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used for measuring pX gene in HTL
V-1 gene

<400> 6

ttcccagggt ttggacagag

20

<210> 7

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used for measuring pX gene in HTL
V-1 gene

<400> 7

cgaagatagt cccccagaga

20

<210> 8

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide TaqMan probe used for measuring pX gene in HTLV-1
gene

<400> 8

ataccagtc tacgtgttg gagac

25

<210> 9

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used for measuring beta-globin gene

<400> 9

acacaactgt gttcactagc

20

<210> 10

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used for measuring beta-globin gene

<400> 10

caacttcac cagttcacc

20

<210> 11

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide probe used for measuring beta-globin gene

<400> 11

5 / 6

aacagacacc atggtgcatc tgact

25

<210> 12

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used for measuring PCD1 gene

<400> 12

gacaaggctg ccctctccta

20

<210> 13

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used for measuring PCD1 gene

<400> 13

ttaaatcaag accagatgtg gaagac

26

<210> 14

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide TaqMan probe used for measuring PCD1 gene

<400> 14.

ctttccaag accaggctgc cacttct

27

<210> 15

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used for measuring 4F2 gene

<400> 15

tccttcttgc cggctcaac

19

<210> 16

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used for measuring 4F2 gene

<400> 16

gcatccaggc caatctcatc

20

<210> 17

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide TaqMan probe used for measuring 4F2 gene

<400> 17

cgactctacc agctgatgct cttcaccc

28